MEASURING (TIMBER POSTS, WALLS OR BRICKWORK)

All sizes refer to actual openings and not the gate, fence or rail width; we have already allowed for hinges etc.

FITTINGS

All gates, fence and railings are supplied with a pack of screw-on/bolt-on fittings to fix to existing timber or brickwork.

OPENING DIRECTIONS

GATE LATCHING

All single, low bow, bow top gates are supplied with a universal latch for left/right hand opening. All doubles have a padlockable sliding latch

GATE HANGING

All single, tall single and bow tops have fixed hinges. All winchester/Fortress doubles, tall doubles and all Castle gates have adjustable hinges to help with levelling during installation.

SQUARE STEEL POSTS

Due to the weight of the gates, care must be taken to ensure that the brickwork is strong enough to support them; steel posts which are concreted into the ground are recommended on all large gates.

Should you wish to hang gates on steel posts, please be sure to allow for the post widths eg. a 2438mm (8'0") opening pair of gates and two 70mm (3") posts will fill a 2578mm (8'6") gap.

SPECIAL SIZES

A made to measure service is available for gates, railing and fence. Contact us with your details on our helpline, , or email for a quotation.

FINISHING

All gates and railings are primed in black and after fitting a further coat of good quality gloss paint is required. The gold effect on rail heads is not a factory option.

AVAILABILITY AND DELIVERY

Most gates, fence and railing are available ex-stock for 7-10 day UK mainland delivery. Tall Doubles 14-21 day delivery. Made to measure items 21-28 days delivery. Carriage charges may be applied.

PRICING AND SPECIFICATIONS

All pricing and specifications are subject to change without prior notice.

Specialist in made to measure high quality Gates, Fencing, railing, And security grills



ROMAN

Roman Tall Single



Roman Arched Fence Roman Arched Fence





Roman Double



VIKING



07 Viking Tall Single

MADE TO MEASURE SERVICE AVAILABLE



Viking Double



Viking Single

ROMAN MADE TO MEASURE SERVICE AVAILABLE



Roman Specifications

Solid steel construction Frames 25mm x 10mm Infill bars 12mm diameter Supplied with fittings pack for screw fixing to brick/timber or a range of metal posts. Panels can be fixed to metal posts using the self-tapping screws supplied with the posts. Height dimension is taken to the highest point.



Roman Arched Railing



Roman Railing

FORTRESS

Fortress Specifications

Solid steel construction 16mm diameter infill bars Heavy duty 40mm x 10mm frames Tall Double gates hanging stiles 40mm x 30mm



01 Fortress Single



O2 Fortress Tall Single



04 Fortress Tall Double



93 Fortress Double

Fortress Installation

Fortress gates have adjustable hinges for levelling on installation.

All Fortress gates have the closing bolt on the right hand side when viewed from the road, as illustrated.



O5 Fortress Railing



Fortress Panel

CASTLE

Castle Specifications

Solid steel 16mm diameter infill bars Heavy duty 25mm x 25mm box section frames Bow 25mm x 10mm on Tall Split Bow



01 Castle Single



02 Castle Tall Single



MADE TO MEASURE SERVICE AVAILABLE

Castle Installation

Castle gates have adjustable hinges for levelling on installation.

All Castle gates have the closing bolt on the right hand side when viewed from the road, as illustrated.

04 Castle Tall Double





Tall Double 04

03 Castle Double





WATLING

Watling Specifications

Solid steel construction

Frames - Single, Tall Single, Bow Top and Railing 25mm \boldsymbol{x} 6mm.

Gates 3'6" and over 25mm x 10mm

All Double gates 25mm x 10mm

Infill bars 10mm dia, Scrollwork 10mm x 3mm

Tall Doubles - Frames 30mm x 10mm,

Infill bars 12mm dia, Scrollwork 12mm x 3mm



01 Watling Single



02 Watling Bow Top



MADE TO MEASURE SERVICE AVAILABLE



04 Watling Railing



05 Watling Tall Single



03 Watling Double

Watling Tall Double



VIKING

MADE TO MEASURE SERVICE AVAILABLE

Viking Specifications

Solid steel construction
Frames 25mm x 10mm
Infill bars 12mm diameter

Supplied with fittings pack for screw fixing to brick/timber or a range of metal posts. Panels can be fixed to metal posts using the self-tapping screws supplied with the posts. Height dimension is taken to the highest point.




01 Viking Arched Railing



03 Viking Arched Fence









4 Viking Fence

WINCHESTER

MADE TO MEASURE SERVICE AVAILABLE



Supplied with fittings pack for screw fixing to brick/timber or a range of metal posts. Panels can be fixed to metal posts using the self-tapping screws supplied with the posts. Height dimension is taken to the highest point.



Winchester Specifications

Solid steel construction Frames 40mm x 10mm Infill bars 16mm diameter Scrolls 15mm x 3mm Hanging stiles 40mm x 30mm



Winchester Scrolled Railing



02

Winchester Tall Single

Winchester Double

